

---

## TABLE OF CONTENTS

<b>I. PURPOSE .....</b>	<b>2</b>
<b>II. SCOPE .....</b>	<b>2</b>
<b>III. RESPONSIBILITIES .....</b>	<b>2</b>
<b>IV. DEFINITIONS.....</b>	<b>2</b>
<b>V. PROCEDURE .....</b>	<b>2</b>
A. General Specification .....	2
1. Objectives of Inspections .....	2
2. Types of Inspections .....	3
3. Conduction Mode.....	3
4. Classification of Nonconformities. ....	4
B. Process .....	4
1. Appointment of Inspection.....	5
2. Preparation of Inspection .....	5
3. Conduction of Inspection .....	5
4. Audit Outcome.....	6
5. Storage and Archiving .....	6
<b>VI. ANNEXURE.....</b>	<b>6</b>
<b>VII. INTERNAL REFERENCES.....</b>	<b>6</b>
<b>VIII. REVISION HISTORY, APPROVALS .....</b>	<b>7</b>

- to determine that the MAH has staff, systems and facilities in place;
- to meet their PV obligations;
- to identify, record and address non-compliance which may pose a risk to public health;
- to use the inspection results as a basis for enforcement action, where considered necessary.

## 2. Types of Inspections

**By object:**

- Entire PV system
- PV in relation to an individual drug

**By initiation procedure:**

- Planned;
- Unplanned
- Repeated (if a significant number of nonconformities are identified)

**By specific of planning conducting:**

- Announced/planned
- Sudden / unscheduled

**By location:**

- At the place of main PV activity
- At the place of delegated activity
- On the territory of the country of registration of drugs

## 3. Conduction Mode

Inspections can be carried out both on site and remotely.

a) Scheduled inspections

- Have a preliminary inspection program
- They are systemic in nature, assessing the risk of non-fulfillment of PV obligations by the MAH
- May be selective based on the drug

The inspection plan (IP) can be found on the websites of the RAs of the countries where the drug is authorized.

[Monitoring procedure of the RA's website](#) in the respective country (s) is ensured in accordance with the SOP-PV-007 «RI Monitoring».

In the absence of an IP on the websites of the RA, the MAH is notified of the inspections 4-6 weeks before